

HARDY FLY FISHING

2007 WAS AN EXCITING YEAR FOR THE HARDY GAME PRODUCT DEVELOPMENT TEAM, IT WAS THE YEAR THAT MANY OF THE PRODUCTS YOU SEE IN THE HARDY 2010 PRODUCT RANGE HATCHED AS AN IDEA OR A CONCEPT EITHER AT OUR HOME BASE IN ALNWICK OR MORE LIKELY ON ONE OF OUR MANY EXCURSIONS TO WATERS NEAR AND FAR.

The Tweed, Test and countless other rivers, Chew Valley to Loch Leven, the flats of Florida and Cuba to the mighty river Madison in Montana, at some point, every one of these classic venues and dozens of lesser known backwaters, side streams and ponds have all played a part in the development of the products you see in these pages.

The people involved are of equal importance to the waters they fish and we are fortunate to have some of the leading anglers in the world involved in our development program. Andy Mill, the world's most accomplished Tarpon angler who now leads our saltwater development group, John Horsey, England's highest capped competitive angler and Ian Gordon, the foundation of our double handed rod program.

The fingerprints of these renowned individuals are imbedded in our products. With our in-house development team and advanced R&D facility in Alnwick we are confident that, whether you are throwing a parachute curve cast with a 20# BWO spinner to a bank feeder on the Eamont, or feeding a 3/0 Toad fly to a sliding 100lb+ Tarpon on Florida's Gulf coast; our 18 strong development team including 4 product specialists, 3 composite engineers, 2 materials scientists and a host of exceptional anglers have, between them, been there, seen it, done it, researched it, tested it and are in agreement that it's the right tool for the job.

Blending science, art, passion and experience to create some of the finest fishing tackle in the world is not easy, but since 1872 we have designed, developed and refined some of the greatest innovations in fishing and with 138 years of practice we are justifiably proud of the products we offer.

SEE YOU OUT THERE

HOWARD CROSTON
GAME CATEGORY MANAGER



HARDY FLY PRODUCT RANGES

HARDY HAS HISTORY AND THAT'S A HUGE ADVANTAGE. WORLDWIDE, OUR NAME IS SYNONYMOUS WITH QUALITY AND DESIRABILITY. TALK TO GUIDES AND ANGLERS ANYWHERE IN THE WORLD AND HARDY IS A NAME THAT IS TAKEN SERIOUSLY. AND, WITH OUR HISTORY, COMES VAST EXPERIENCE.

It's probably true to say that no other company operating in the world has made as many rods and reels as Hardy have done.

Today we're still making them, still creating the most innovative designs for the new century. Just because this is our third century in rod production, does not mean we're mired in the past. Our performance range of rods and reels does exactly what it says on the package. This is the kit of the future. These are the rods and reels used by England team members, by top guides like John Horsey and Nick Hart, by travellers like Henry Gilbey and John Bailey.

Hardy Performance gear is all about fresh, forward-thinking design and tackle built to staggering quality. The anglers we have mentioned cut no corners with their tackle, take no risks and only commit themselves to the best.

Design. Materials. Construction. Continuous testing and improving. You can be rest assured that everything from our performance range will set world standards, and will do the most superb of jobs.

The performance range is all about the science of rod building. Research and development is crucial to where Hardy stands in 2010. We invest heavily in computer-based rod development but also in the right production team to make the best use of information acquired. The sheer brain power of our development team is impressive. There is so much knowledge, so much experience and so much passion to draw upon. The attention to detail that we invest in our performance rods and reels literally never ends. Everything about a rod or a reel is examined again and again. Can the action be tweaked in anyway? Can we source even better cork for the handles? The Hardy world of innovation simply never sleeps. Sometimes you'd think that our performance rods and reels are just about as good as it is possible to make them.

And you'd be nearly right. In the world of Hardy, we know that somewhere, somehow, there's some improvement that can be teased out to make great performance even greater.

Our performance range keeps us clear of the field in twenty-first century tackle design but our history is always important to us as well. Our classic range is central and draws its inspiration from the beautiful designs of our past. However, by using every advantage of modern materials and manufacturing techniques, we have made every rod and reel in the classic range completely at home in the future. Aesthetics and the sheer joy of owning and using something of beauty is important to us and a large percentage of our customers. The result is that reels like the Cascapedia and the Bouglé, that have been in manufacture for decades, still retain all their charm while constant modifications have brought their levels of performance up to 2010 expectations and beyond. Your father – or grandfather – would recognise and relish the unchanging looks of any of these reels but be quite stunned by the improvement in their performance. These are the must-have items of the past perfected by the cutting-edge technology of the future.



The Lightweight rods symbolise everything about our classic range. With their traditional fittings, cosmetics and handles, they are simply luscious to look at but they also perform as well as they look. We've slightly reduced the resin content in the tip which speeds recovery and gives the rod a precision and a crispness that makes river fishing a delight. The rods load well and give the smoothest, most accurate delivery possible.

Even in the modern world, there is demand for the bespoke, the unique and the individual. Our history allows us to make tackle that is quite unobtainable elsewhere. The introduction of the Hardy Brothers heritage range represents a massive step forward by making a considered step backwards into our history.

The range initially included a revolutionary design of a world famous reel, the Perfect, first introduced in 1888. This is a reel based equally on old designs and 2010 technology. It's a reel that is an acknowledged timeless classic, that is manufactured and handcrafted by our own engineers in Alnwick, Northumberland. So too, with the St. George range of Salmon and Trout reels, once again back in production in our Heritage range. The St. George is one of the most famous names in our history and we really are proud to offer it, once more, as a shining example of what the heritage category is about.

The same is true of our range of Palakona and Gladstone split-bamboo rods. These are rods we have been making – and perfecting – seemingly forever.



These are rods of immense character and feel. They will improve with love and with age. Our Heritage range really is an investment in your angling future.

There it is then. Three ranges. The performance, the classic and the heritage. All the bases are covered. Every piece of tackle sold under the Hardy brand is as good as man can make it. So now the choice is yours. It's up to you where you position yourself and your fishing within our range.

This brochure presents you with mouth-watering options. Rest assured that whatever choice you make, your days spent fishing will only be the better for it.





HARDY FLY RODS

THE DEVELOPMENT CONCEPT FOR HARDY FLY RODS WAS FOUNDED FROM 315 YEARS OF COMBINED FLY FISHING EXPERIENCE ACROSS OUR 15 STRONG CORE TEAM OF DEVELOPERS AND CONSULTANTS, EACH AVERAGING 21 YEARS AT THE TOP OF THEIR GAME.

Each fly rod range we offer is the refined, concentrated result of this vast pool of experience and as such each category has a clear reason for being and a distinct group action. However, as fly fishing is a broad church with many often conflicting requirements, every single length and line size of rod within our range is designed and developed with a specific use in mind and built to overcome the specific demands of your chosen challenge.

From short, easy loading impact resistant glass rods, deadly at ultra close range in tight overgrown streams; to high modulus, high recovery, low resin Carbon rods that can haul a heavy payload to the backing, we have a rod series that fills your needs.

Rod action is as much about feeling as it is science and mechanics. Words alone cannot describe the 'feeling' of a fly rod, however, to help guide you through our product range, left is our developers quick guide to the characteristics and feel of the Hardy rod range.

EXPLANATIONS

Loading point

The loading point of a fly rod helps describe the relative stiffness of the blank and gives an indication of how much effort is required to flex the blank in casting. We split this in to three descriptions. Low, medium and high.

A low loading point rod such as a Glass rod with relatively low stiffness indicates its general suitability for close range tactics and anglers who prefer an easier more relaxed casting stroke. A high loading point would be used to refer to a rod with relatively high stiffness and indicate a rod more suitable to longer range tactics and generally a more powerful casting stroke.

Rod stop

In general the more powerful and stiffer the rod, the harder we need to stop the rod to transfer energy to the fly line. We describe rod stop as light, moderate and positive to indicate its optimum usage.

Most rods require a moderate stop as this suits the vast majority of casting styles and applications. However, on our very highest performing models such as Angel² TE a more positive stop helps unleash the full potential of these very fast and powerful designs.

Recovery rate

This refers to how quickly the rod recovers to straight from its deflected position during casting. Recovery rate is influenced both by the taper design and the type of material used. Our descriptions of low, moderate and rapid can help the angler get a sense of the rod's 'tempo' or 'cycle time', this indicates if the rod responds best to a slow, smooth casting stroke or a quicker more precise stroke.

Flex characteristics

Split into three categories, this gives an indication of the nature in which the rod bends, although there are many variables in-between, in its most basic form, you can split a rod's flex into 'through', 'middle to tip' and 'tip'.


ROD CARE TIPS

- Never use tools of any kind to twist or clamp the rod.
- Never bend your rod at extreme angles over a short distance. When setting up always thread line through rings keeping the rod straight. Do not hold rod at tip. Your rod is designed to flex throughout its complete length and not over a short section.
- Avoid sharp jerks when line is caught or snagged. Point the rod directly at snag and pull for a tippet break.
- Avoid over stressing your rod by taking it past its fighting curve.
- Avoid sharp blows to the blank as this can cause the rod to fail.
- Rub the spigots or joints regularly with candle wax (do not use chemical based lubricants). This prevents premature wear of the carbon to carbon joints, provides a secure friction fit during fishing and ease of separation at the end of a day's fishing.
- Always rinse rings and metal fittings in fresh water after use in salt or brackish water.

HANDLE TYPES

- CIG – Cigar
- RHW – Reverse half wells
- FW – Full wells
- FW+EH – Full wells plus extension
- TPSF – Two part shaped fly
- TPSS – Two part shaped spin
- FG – Fighting Grip

ROD FLEX CHARACTERISTICS



THR: Through Action
MT: Middle to Tip Action
TIP: Tip Action


Based on 9ft 5#

Range	Loading Point	Recovery Rate	Rod Stop	Flex Characteristics
Angel ² TE	High	Rapid	Positive	Tip
Angel ²	Medium-High	Rapid	Moderate-Positive	Tip
Zane	Medium-High	Rapid	Moderate	Middle to Tip – Tip
Marksman	Low-Medium	Moderate-Rapid	Light-Moderate	Middle to Tip
Swift MkII	Medium	Moderate-Rapid	Moderate	Middle to Tip
Demon	Medium	Moderate-Rapid	Moderate	Middle to Tip
Uniqua	Medium	Moderate	Light-Moderate	Middle to Tip
Lightweight	Low	Moderate	Light	Middle to Tip
Glass	Low	Low	Light	Through
Cane	Low	Low	Light	Through

HARDY FLY FISHING

The 10ft for a seven-weight is one of the lightest in its class and possesses one of the fastest actions you are likely to come across – and it's made in the UK at Alnwick, completely, from start to finish.

Trout Fisherman Magazine



ANGEL² TE

The Angel² TE's legendary qualities have been enhanced by new research and design. It is still one of the world's fastest fly rods, that responds brilliantly to a short, controlled casting stroke. The tip of the TE follows your hand as though you had hold of the line itself. The Angel² TE blank tracks, dampens and recovers in a unique style. This gives you unparalleled accuracy – even at thirty yards.

- Computer-aided design for optimum weight distribution, giving supreme lightness and balance
- Fast action for distance and accuracy
- Quick damping blanks for energy efficient, super-smooth loop formation

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
HRA2350	9'2.74	#5	4	RHW	3.4/95
HRA2370	9'6"/2.89	#7	4	FW+EH	3.8/107
HRA2380	10'/3.05	#7	4	FW+EH	3.8/109

ROD FLEX CHARACTERISTICS

Range	Loading Point	Recovery Rate	Rod Stop	Flex Characteristics
Angel ² TE	High	Rapid	Positive	Tip

Recommended: Angel² TE Reels
Mach Trout or Marksman Fly Lines

ANGEL²

The Angel² typifies the Hardy evolutionary principle. It is built with all the strengths of the original Angel, yet we've managed to improve it through continual research and design. It is still the ultimate rod for the serious and accomplished angler and it still has the fast, crisp action that can significantly increase your casting range, accuracy and presentation. What's more, the Angels are still made in Alnwick, England. Still an Angel. Only better.

- Fast tip action and incomparable loop formation
- Low profile internal spigot for improved power transfer
- Beautiful cork and nickel stoppers
- Unique anodised uplocking reel seat with Texalium insert
- Slim profile blanks reduce wind drag

Recommended: Angel² TE Reels
Mach Trout or Marksman Fly Lines

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
HRA2010	8'2.44	#3	4	RHW	2.8/78
HRA2020	8'6"/2.59	#4	4	RHW	3.0/84
HRA2030	9'2.74	#4	4	RHW	3.1/88
HRA2040	9'2.74	#5	4	RHW	3.2/90
HRA2050	9'2.74	#6	4	RHW	3.3/94
HRA2060	9'6"/2.89	#6	4	FW+EH	3.4/96
HRA2070	9'6"/2.89	#7	4	FW+EH	3.6/103
HRA2075	9'6"/2.89	#8	4	FW+EH	3.7/105
HRA2078	10'/3.05	#6	4	FW+EH	3.5/100
HRA2080	10'/3.05	#7	4	FW+EH	3.6/102

ROD FLEX CHARACTERISTICS

Range	Loading Point	Recovery Rate	Rod Stop	Flex Characteristics
Angel ²	Medium-High	Rapid	Moderate-Positive	Tip



ANGEL² SMUGGLER

Built with the same refinements and advances as the Angel² 4 section, the Angel² Smuggler removes any issues or worries involved in getting your beloved fly rod safely to your destination. Whether that means a flight to the other side of the globe, a hike to the other side of the mountain or a drive to the other side of the country, the multi-section Angel² smuggler will stow away safely where and when required, then transform from a compact, practical package, to the high spec, high performance fly rod that it really is. The old saying 'good things come in small packages' has never been truer than when said about the Angel² Smuggler.

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
HRA2140	8'6"/2.58	#4	6	RHW	3.3/92.7
HRA2150	9'/2.74	#5	6	RHW	3.7/104
HRA2160	9'/2.74	#6	6	RHW	3.7/104
HRA2170	9'6"/2.89	#7	6	FW+EH	4.1/117
HRA2180	9'/2.74	#8	5	FW+EH	3.9/111

ANGEL² SINGLE HANDED & DOUBLE HANDED RODS FLEX CHARACTERISTICS

Range	Loading Point	Recovery Rate	Rod Stop	Flex Characteristics
Angel ²	Medium-High	Rapid	Moderate-Positive	Tip

Recommended: Angel² TE Reels
Mach Trout or Marksman Fly Lines



ANGEL² DOUBLE HANDED

Improving the original Angel proved to be difficult and only came about after years of steady, evolutionary research. The improved rod is constructed using a new lay up of various multi modulus materials – eight in all. The effect is to take every attribute of the original Angel and move it to another level. We see this as an important advance in one of the great Salmon rod ranges of the world.

- Unique anodised down locking reel seat with Texalium insert
- Perfect weight distribution and balance for daylong ease of use
- Fast recovery blanks – especially important in a long rod
- Four sections for ease of travel, home or abroad

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
HRA2210	12'/3.66	#7	4	TPSF	6.5/183
HRA2230	13'/3.96	#8	4	TPSF	7.8/220
HRA2240	14'/4.27	#9	4	TPSF	9.0/255
HRA2250	15'/4.57	#10	4	TPSF	9.9/282

Recommended: Angel² TE Reels
Mach 55 or Mach 65 Fly Lines



HARDY FLY FISHING



Hardy Zane Saltwater rods are just what I need when wading the flats in search of Bones or Permit, casting for Snook, Tarpon or Trevally from a flats boat, or drifting across Chew Valley lake, trying to lock-up on a tail walking 20lb plus Pike.

John Horsey



ZANE SALTWATER

All Zane rods are 9ft long and in four sections – specifically designed for boat and flats work and the travelling angler. Models start at a six weight and run to a twelve weight with a fighting grip. A perfect range for everything from light bonefish to the biggest Tarpon, Sailfish, Giant Trevally and even Shark. Zane rods are also ideal for heavy freshwater action – especially Pike, where the backbone of the Zane can put out a big fly into a strong wind with consummate ease.

- Large diameter Fuji SIC stripper rings and carved aluminium stoppers
- Unique hard-anodised aluminium reel seat with double locking nuts
- Reel seat with nylon washers for quick release
- Neoprene covered, glass-reinforced carbon carry tube

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
H00090	9'/2.74	#6	4	FW+EH	4.02/114
HRZS01	9'/2.74	#7	4	FW+EH	4.02/114
HRZS02	9'/2.74	#8	4	FW+EH	4.16/118
HRZS03	9'/2.74	#9	4	FW+EH	4.27/121
HRZS04	9'/2.74	#10	4	FW+EH	4.52/128
HRZS05	9'/2.74	#12	4	FW+EH	5.04/143
H00089	9'/2.74	#12	4	FW+EH+FG	5.19/147

ROD FLEX CHARACTERISTICS

Range	Loading Point	Recovery Rate	Rod Stop	Flex Characteristics
Zane	Medium-High	Rapid	Moderate	Middle to Tip - Tip

 **Recommended:** Zane Reels
Mach Saltwater Fly Line





For me, this is perfection. Probably the best rod with which I've ever fished.
Trout and Salmon Magazine




MARKSMAN RIVER

The Marksman is the ultimate rod for running water. It combines perfectly with light lines to give constant control in tight, demanding situations. Fast to medium recovery blanks allow tight loops and the essential casting accuracy that stream or river fishing requires. The superb Marksman action cushions light tippets yet gives plenty of power when needed. This is our favourite solution to challenging rivers.

- Sculptured nickel silver reel seat, machined to reduce weight yet retain strength
- Ultra-light hardware improves in-hand balance and recovery
- Supplied in a matching graphite tube, with removable neoprene cover

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
HRMR01	6'1.83	#2	3	RHW	2.68/76
HRMR05	7'2.13	#3	3	RHW	2.96/84
HRMR10	8'2.44	#4	4	RHW	3.28/93
HRMR15	9'2.74	#4	4	RHW	3.52/100
HRMR20	9'2.74	#5	4	RHW	3.59/102
HRMR22	9'2.74	#6	4	RHW	3.71/105
HRMR25	10'3.05	#4	4	RHW	3.77/107
HRMR30	10'3.05	#5	4	RHW	3.88/110

 Recommended: Marksman Reels
Marksman Fly Line


MARKSMAN DRIFTER

This is a specialist, long length, light line rod with an exceptionally smooth and friendly action. An ideal rod to fish lough-style with small flies for wild fish. You can dabble or you can put out a longer line. It is also good for light float tube work and ideal if you want that little bit more length for Czech nymphing. The rod comes with optional extension handles, so you can use either a short or long fighting butt – yet if neither is needed, simply replace with the nickel-silver screw-in end cap. A versatile rod that brings a new dimension to the Marksman range.

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
HRMD32	10'3.05	#5	4	FW+EH	4.43/126
HRMD35	10'3.05	#6	4	FW+EH	4.71/134
HRMD40	11'3.35	#5	4	FW+EH	4.90/139
HRMD45	11'3.35	#6	4	FW+EH	4.97/141

MARKSMAN RIVER & DRIFTER RODS FLEX CHARACTERISTICS

Range	Loading Point	Recovery Rate	Rod Stop	Flex Characteristics
Marksman	Low-Medium	Moderate-Rapid	Light-Moderate	Middle to Tip

 Recommended: Marksman Reels
Marksman Fly Line



HARDY FLY FISHING



Responsive and robust, 'The Swift' offers the discerning angler a level of performance unrivalled in its class.

Ian Gordon

SWIFT MKII

The Swift MkII is the ideal rod for those who fish on large stillwaters and reservoirs. The firm, powerful action throws a tight and controlled loop. Roll casts are effortless and the Swift's fish playing qualities are faultless. The 8ft, four weight has proved a great success on the riverbank, with the power to throw big flies – especially mayflies – with complete accuracy. The recovery speed of the rod also makes it ideal for the nymph fisher.

- Fast tip action
- Exceptional reserves of power, yet easy to use
- Anodised aluminium reel fitting for lightness and security
- Tough Cordura covered tube

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
<i>Swift MkII:</i>					
HRSW130	8'2.44	#4	3	RHW	2.83/81
HRSW135	8'6"/2.59	#5	3	RHW	2.99/85
HRSW140	9'2.74	#4	3	RHW	3.06/87
HRSW145	9'2.74	#5	3	RHW	3.13/89
HRSW150	9'2.74	#6	3	RHW	3.35/95
HRSW160	9'6"/2.89	#6	3	FW+EH	3.49/99
HRSW165	9'6"/2.89	#7	3	FW+EH	3.66/104
HRSW170	10'/3.05	#6	3	FW+EH	3.77/107
HRSW175	10'/3.05	#7	3	FW+EH	3.84/109
HRSW180	10'/3.05	#8	3	FW+EH	3.88/110
HRSW190	10'6"/3.20	#7	3	FW+EH	3.91/111
HRSW200	11'/3.35	#7	3	FW+EH	3.99/113

SWIFT MKII SINGLE HANDED & DOUBLE HANDED RODS FLEX CHARACTERISTICS

Range	Loading Point	Recovery Rate	Rod Stop	Flex Characteristics
Swift MkII	Medium	Moderate-Rapid	Moderate	Middle to Tip

Recommended: Swift MkII Reels
Mach Trout and Marksman Fly Lines

SWIFT MKII DOUBLE HANDED

Many experts rate this the best double-hander on the market. It's unsurpassed for casting, but is a very forgiving, easy to use fishing rod. The action is powerful but smooth – a great Spey caster and a magnificent big fish rod. Very durable, versatile and ideal for harsh conditions and biting winds. The rod is built on a fast-taper mandrel to produce a quick action, with high modulus carbon making the rod stiffer, lighter and with superb dampening qualities.

- Ultra light for all-day casting and control
- A smooth, progressive action with quick recovery
- Down-locking carbon fibre reel seat
- One of the best distance casters available
- A great looking rod with tough Cordura travelling tube

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
HRSWD210	11'6"/3.50	#7	4	TPSF	6.94/197
HRSWD220	13'/3.96	#8	4	TPSF	8.87/220
HRSWD230	14'/4.27	#9	4	TPSF	9.80/254
HRSWD240	15'/4.57	#10	4	TPSF	10.58/300
HRSWD250	16'/4.88	#11	4	TPSF	11.42/324

Recommended: Swift MkII Reels
Mach 55 and Mach 65 Fly Lines



HARDY FLY FISHING

NEW FOR 2010



DEMON 4 PIECE

Building on Hardy developments in design and technology, the Demon range brings Hardy performance, durability and build quality to anglers at a surprisingly low price.

- Four-piece design, new for 2010
- Saltwater-safe reel seat for bass and bone fishing
- Anodised, double up-locking reel fitting with nylon 'O' rings for smooth operation
- Fuji butt guides, hard-chrome snake intermediates and a hay-fork tip
- Top quality Portuguese AAAA cork grips
- Fast recovery, easy loading blank
- Sturdy Cordura covered tube



Calendar of EVENTS

Game

- Tweed Fair – 1st-2nd May 2010
- Scottish Gamefair – 2nd-4th July 2010
- CLA Gamefair – 23rd-25th July 2010
- British Fly Fair – 30th-31st October 2010

NEW FOR 2010

DEMON DOUBLE HANDED 4 PIECE

The range is a world favourite on salmon and big sea trout rivers. The four-piece construction is perfect for the traveller and for every style of casting on larger waters. The range reflects Hardy design and build quality at a very acceptable price level.

- Four section construction
- Fast recovery, easy-load blanks for effortless switch, Spey and overhead casting
- Hard-anodised, aluminium reel fitting with double locking nuts
- Top quality Portuguese AAAA cork grips, Fuji butt guides, hard chrome snake intermediates and hay-fork tip
- High quality fittings for durability and performance
- Subtle olive blanks and whippings
- Cordura rod tube



Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
HDUS005	7'2.13	#3	4	RHW	2.79/79
HDUS010	8'2.44	#4	4	RHW	2.96/84
HDUS015	8'6"/2.59	#5	4	RHW	3.00/91
HDUS020	9'2.74	#5	4	RHW	3.28/93
HDUS025	9'2.74	#6	4	RHW	3.39/96
HDUS030	9'2.74	#7	4	FW+EH	3.56/101
H00081	9'2.74	#8	4	FW+EH	3.76/107
HDUS035	9'6"/2.89	#6	4	FW+EH	3.81/108
HDUS040	9'6"/2.89	#7	4	FW+EH	3.92/111
HDUS045	10'/3.05	#6	4	FW+EH	3.99/113
HDUS050	10'/3.05	#7	4	FW+EH	4.06/115
HDUS055	10'/3.05	#8	4	FW+EH	4.16/118
HDUS060	11'/3.35	#7	4	FW+EH	4.23/120

DEMON SINGLE HANDED & DOUBLE HANDED RODS FLEX CHARACTERISTICS

Range	Loading Point	Recovery Rate	Rod Stop	Flex Characteristics
Demon	Medium	Moderate-Rapid	Moderate	Middle to Tip

Recommended: Demon Reels
Mach, Marksman or Premium Fly Lines

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
HDUS065	12'/3.66	#7	4	TPSF	7.09/201
HDUS070	13'/3.96	#8	4	TPSF	7.97/226
HDUS075	14'/4.27	#9	4	TPSF	9.45/268
HDUS080	15'/4.57	#10	4	TPSF	9.88/280

Recommended: Demon Reels
Mach, Marksman or Premium Fly Lines

HARDY FLY FISHING



UNIQUA

Looking at the Hardy Uniqua rod range will tell you that there is a rod to suit every need of a fly fisher. Pick up the perfectly balanced brook rods of 7ft 6in or 8ft and you can instantly imagine yourself placing that perfect cast to the fish of a lifetime on the smallest of overgrown streams.

- 'AAAA' - Best quality cork handle
- Four piece construction
- Supplied with Hardy Cordura tube and cloth bag
- Up locking reel seat
- All aluminium, hard anodised reel seat with reel location marker
- Fuji stripper guides and hard chrome snake intermediates
- Easy loading, sharp recovery blanks



Uniqua hits the spot, these rods do not skimp on performance or quality.

Trout Fisherman Magazine

UNIQUA DOUBLE HANDED

The 30/40 tonne carbon mix allows the rods in this range to load deeply and quickly and gives them a very fast recovery rate. These qualities produce an action that is easy to master and yet gives genuine high performance on the river. A further result is that the Uniquas are supremely capable with every design of line. Hard lined Fuji guides, scintillating dark pine coloured blanks, four-piece construction and a carry tube complete this sophisticated package.

- Sophisticated carbon mix for fast loading and quick recovery blanks
- High quality AAAA cork handles
- Fuji rings
- Down locking reel seat
- Pine green blanks
- Four piece construction
- Cordura carry tube

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
HRUN005	7'6"/2.28	#3	4	RHW	2.72/77
HRUN010	8'2"/2.44	#4	4	RHW	2.79/79
HRUN015	8'6"/2.59	#4	4	RHW	3.00/85
HRUN020	9'2"/2.74	#4	4	RHW	3.21/91
HRUN025	9'2"/2.74	#5	4	RHW	3.25/92
HRUN030	9'2"/2.74	#6	4	RHW	3.32/94
HRUN065	9'2"/2.74	#8	4	FW + EH	3.92/111
HRUN070	9'2"/2.74	#9	4	FW + EH	3.92/111
HRUN075	9'2"/2.74	#10	4	FW + EH	3.88/110
HRUN035	9'6"/2.89	#6	4	FW + EH	4.02/114
HRUN040	9'6"/2.89	#7	4	FW + EH	4.06/115
HRUN045	9'6"/2.89	#8	4	FW + EH	4.13/117
HRUN050	10'/3.05	#6	4	FW + EH	4.02/114
HRUN055	10'/3.05	#7	4	FW + EH	4.13/117
HRUN060	10'/3.05	#8	4	FW + EH	4.3/122

UNIQUA SINGLE HANDED & DOUBLE HANDED RODS FLEX CHARACTERISTICS

Range	Loading Point	Recovery Rate	Rod Stop	Flex Characteristics
Uniqua	Medium	Moderate	Light-Moderate	Middle to Tip


 **Recommended:** Uniqua Reels
Mach, Marksman or Premium Fly Lines

 **Recommended:** Uniqua Reels
Mach 55 and Mach 65 Fly Lines

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
HRUN080	13'/3.96	#8	4	TPSF	8.29/235
HRUN085	14'/4.27	#9	4	TPSF	9.52/270
HRUN090	15'/4.57	#10	4	TPSF	9.42/267



HARDY FLY FISHING



“A pleasure to cast and a joy to fish, the Hardy Glass rods are a perfect choice for soft, precise, presentations to spooky trout. Their easy loading tapers work with a minimum of line, but can reach out when needed. Fine tips protect the lightest leaders and playing a fish of any size is a thrill. The beautiful, traditional hardware compliments the deep green blanks and rich finish. Truly a ‘retro rod’ for today’s challenges!”

John Shaner

CLASSIC ‘LIGHTWEIGHT’

Our Classic Lightweight range draws its inspiration from our past, but by utilising every trick of modern technology, we have made every item in it totally compatible with the future.

- Classic good looks, traditional design, modern performance
- Hardy’s patented, traditionally styled universal reel holder
- Easy loading action and smooth power delivery
- Low resin content in the tip of the rod for increased recovery rate
- Rods match the Lightweight reel range
- Complete with tube and canvas carry bag

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
<i>Flyweight:</i> HRCL05	6’/1.82	#2	2	Mod. RHW	1.45/41
<i>Featherweight:</i> HRCL10	7’/2.13	#3	2	Mod. RHW	1.35/38
<i>LRH Lightweight:</i> HRCL15	8’6”/2.59	#4	4	Mod. RHW	2.41/68
<i>LHR Lightweight:</i> HRCL20	9’/2.74	#5	4	Mod. RHW	2.82/80

ROD FLEX CHARACTERISTICS

Range	Loading Point	Recovery Rate	Rod Stop	Flex Characteristics
Lightweight	Low	Moderate	Light	Middle to Tip

Recommended: Lightweight, Perfect, St. George or Bouglé Reels
Marksman or Premium Fly Lines

GLASS

By mixing glass and carbon we have achieved an easy loading, smooth action, with controlled, well-dampened recovery. The easy loading nature of these rods makes them sensational. They allow short range, controlled presentation with the absolute minimum of fly line beyond the tip ring. For the light, stream angler working in the tightest situations, Hardy Glass is the perfect choice.

- Rods are made from 10% carbon and 90% glass fibre
- Easy loading, durable blank for toughness
- Lightweight blanks and sliding reel fitting
- Tapered cork handle with classic styling and alloy tube and canvas cover

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
<i>Aln:</i> HRGL05	5’/1.54	#2	2	Mod. RHW	1.53/43
<i>Brook:</i> HRGL10	6’/1.82	#3	2	Mod. RHW	2.25/64
<i>Stream:</i> HRGL15	7’/2.13	#3	2	Mod. RHW	2.96/84
<i>Test:</i> HRGL20	7’6”/2.28	#4	2	Mod. RHW	3.17/90
<i>Trout Fisher:</i> HRGL25	8’/2.43	#5	2	Mod. RHW	3.4/97

ROD FLEX CHARACTERISTICS

Range	Loading Point	Recovery Rate	Rod Stop	Flex Characteristics
Glass	Low	Low	Light	Through

Recommended: Lightweight, Perfect, St. George or Bouglé Reels
Marksman or Premium Fly Lines

HARDY FLY FISHING

MADE IN ALNWICK ENGLAND



CALLUM GLADSTONE

GLADSTONE CANE

Gladstone and bespoke Palakona rods are created in Alnwick by Callum Gladstone a master rod builder with over two decades of experience. Expertise, passion, sublime rods for a sublime angling experience. It was nearly a century ago that Hardys invented a planing machine that revolutionised the construction of split-bamboo rods.

- Available in three classic tapers – Leonard, Garrison and Payne
- Classic designs to order like 'The Marvel', 'The Phantom', 'The Perfect' and 'The CC de France'
- Agate butt and chrome snake rings
- Swelled cork handle
- Flamed bamboo finish and chestnut whippings

Product Code	Length (ft/m)	Rating	Pieces	Handle	Weight (oz/g)
Leonard: HRKE200	6'6"/2.00	#3	2	CIGAR	3.00/83
Garrison: HRKE210	7'2"/2.13	#4	2	CIGAR	3.62/101
Payne: HRKE220	8'2"/2.44	#5	2	CIGAR	4.25/123

ROD FLEX CHARACTERISTICS

Range	Loading Point	Recovery Rate	Rod Stop	Flex Characteristics
Cane	Low	Low	Light	Through

Recommended: Perfect, St. George, Bouglé or Cascapedia Reels
Premium DT Fly Line



HARDY FLY REELS

62 FLY REELS FROM A 2.75 OZ LIGHTWEIGHT, DESIGNED TO BALANCE WITH 2OZ OF CARBON FIBRE FLY ROD, THROUGH TO A 15OZ BEAST CARVED FROM TITANIUM, DESIGNED AND BUILT TO FIGHT IT OUT WITH SOME OF THE LARGEST GAME FISH THAT SWIM THE OCEANS.

All of our fly reels are the product of a unique collaboration between some of the finest fishing minds and the best fly reel designers and engineers in the world.

Charlie Norris, Hardy's head reel designer for 29 years, is instrumental in turning the concepts, ideas and needs of our pro fishing staff into works of art in aluminium, navel brass, stainless steel and advanced non metallic materials. This unrivalled partnership has led to industry leading technical developments and some of the finest fly reels to ever grace a fly rod.

Our current range features both timeless classics from Hardy's long history of UK reel manufacture, such as the world renowned Perfect range, alongside models that combine cutting edge manufacturing techniques and modern design to produce reels, like the new Uniqua, which offers design and performance well above the asking price would have you believe.

REEL CARE TIPS

- Remove the spool out of the frame.
- Flush away any dirt from the frame and spool by rinsing under a gentle flow of fresh water.
- Dry carefully with a soft cloth.
- Lubricate any moving parts with oil or grease (spindle, handle etc).
- Always turn the click check or disc drag to the minimum setting when storing.
- Always ensure the reel is completely dry before storing away in the supplied protective case.

HARDY FLY FISHING



ZANE TI

TI stands for Titanium, the strongest non-ferrous metal known to man. That's why this reel is nearly indestructible. That's why it takes six continuous days of machining to make a single one. Unparalleled corrosion resistance makes this the ideal reel for saltwater, as titanium has the highest strength to weight ratio of any metal. In its pure form, titanium is as strong as steel but 45 per cent lighter. An extraordinary product from Hardy.

- Fully sealed multidisc-drag system
- Large, easy to use, central drag knob
- Machined from solid bar stock titanium
- Hand finished and polished by our reel engineers in Alnwick
- Supplied in classic horse shoe block leather case and a Neoprene Pouch

Product Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
Size 3: HEZTIS01	WF12+400	15.02/426	4.25/107

 Recommended: Zane Rods

ZANE

The four reels in the range (from the 6/7 weight number 0 to the 10/12 number 3) means that every salt water challenge from light Bone fishing to Tarpon and Sailfish is covered. And not just saltwater – big freshwater fish can also be tackled with a Zane.

- Incredible strength to weight ratio
- Open drag system allows for easy cleaning
- Woven Avcarb brake pads
- Low start up inertia and instant pick-up
- Large arbor design and huge backing capacity
- Ergonomically-designed handle
- Aerospace grade aluminium construction

Product Code	Spool Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
Size 0: H00087	H00088	WF6+155 WF7+150	8.92/253	3.62/92
Size 1: HEZS01	HSZS01	WF8+200	9.24/262	3.75/95
Size 2: HEZS02	HSZS02	WF10+300	9.73/276	4.00/101
Size 3: HEZS03	HSZS03	WF12+400	10.33/293	4.25/107

 Recommended: Zane Rods



HARDY FLY FISHING

Iconic beautiful reel, machined to high standards.

Trout Fisherman



ANGEL²

The Angel² takes this renowned marque just that little bit further. Improvements have kept this reel in pole position as one of the world's finest. Equally at home on rivers and stillwaters, the range goes from the 2/3 Featherweight (perfect for brooks) up to the 11/12 weight (which handles the biggest salmon). A complete range for every fly fishing situation.

- Redesigned clutch and a tool-less left/right conversion
- Concealed check system and improved Rulon drag
- New all metal handle with reverse screw fitting
- Uniquely shaped drag knob for instant adjustment
- Hard anodised finish for exceptional durability
- The Angel² Featherweight features a click-check system
- The Angel² TE reels feature a colour scheme to match the Angel² TE Fly Rods

Product Code	Spool Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
Angel ² Featherweight 2/3: H00045	H00046	DT3+24 WF3+25	3.91/111	2.75/69
Angel ² Featherweight 3/4: H00047	H00048	DT3+43 WF4+47	4.16/118	3.00/75
Angel ² TE 4/5: H00100	H00102	DT4+55 WF5+75	6.52/185	3.37/86
Angel ² TE 6/7: H00101	H00103	DT6+85 WF7+120	6.80/193	3.37/86
Angel ² 4/5: H00036	H00039	DT4+55 WF5+75	6.52/185	3.37/86
Angel ² 6/7: H00040	H00041	DT6+85 WF7+120	6.80/193	3.37/86
Angel ² 7/8: H00037	H00042	DT7+140 WF8+210	7.09/201	3.62/92
Angel ² 9/10: H00043	H00044	DT9+150 WF10+240	11.14/316	3.87/98
Angel ² 11/12: H00038	H00035	DT11+160 WF12+300	11.81/335	4.18/107

 Recommended: Angel² TE and Angel² Rods





MARKSMAN

The ultimate river and in-close stillwater reel. It's blissfully simple. The unique spindle-less design with its large central bearing reduces weight and ensures the sensitivity needed for the finest tippets.

- Spindle-less design reduces weight
- Large central bearing for ultra-smooth rotation
- Lightweight, click-check drag system
- Mid arbor construction reduces line memory
- High grade aluminium construction

Product Code	Spool Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
Marksman Reel 2/3: HEM010	HSM010	DT2+50 WF3+55	3.21/91	2.51/63.9
Marksman Reel 3/4: HEM020	HSM020	DT3+60 WF4+65	3.46/98	2.77/70.5
Marksman Reel 4/5: HEM030	HSM030	DT4+70 WF5+75	3.74/106	3.03/77.2
Marksman Reel 5/6: HEM040	HSM040	WF5+100 WF6+82	4.83/137	3.32/84.5

 Recommended: Marksman Rods

SWIFT MKII

- 4mm screw reel seat increases rigidity
- Legendary drag system overhauled and improved
- Barrel-polished finish for looks, ease of maintenance and long life
- Easy left/right wind conversion
- Extremely strong yet light, high-grade aluminium
- 3 to 11 weight options

Product Code	Spool Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
Swift MkII 900: H00003	H00008	DT4+60 WF4+90	5.43/154	3.40/86
Swift MkII 925: H00004	H00009	DT5+85 WF6+98	5.57/158	3.62/92
Swift MkII 975: H00005	H00010	DT7+100 WF8+150	5.85/166	3.87/98
Swift MkII 1000: H00006	H00011	DT9+180 WF10+230	8.04/228	4.06/104
Swift MkII 1025: H00007	H00012	DT10+225 WF11+270	8.04/228	4.06/104

 Recommended: Swift MkII Rods

When a light reel with great stopping power is required, the Swift reels for me cannot be beaten.

Andrew Sowerby





“The unique quick-change spool system was one of the reasons I bought this reel.”



DEMON

This is the runaway success of the twenty-first century for the angler whose fishing demands ultimate line versatility. The genius of the Demon lies in the range of tough, low-cost spare spools which allow you to carry every line you will ever need. An innovative, touch-button release and unique spool locking system means that spools can be changed quickly, easily and reliably whatever the conditions.

- High impact glass reinforced spools
- Strong bar stock aluminium cage and spool housing
- Four-disc Rulon brake
- Tool-less left/right hand conversion
- Positive drag adjuster and padded Cordura reel case with two spare spools

Product Code	Spool Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
Demon 3000: H00106	H00107	DT3+45 WF5+30	6.66/189	3.34/85
Demon 5000: H00063	H00064	DT5+65 WF7+70	6.91/196	3.60/91
Demon 7000: H00065	H00066	DT7+97 WF9+105	7.48/212	3.85/98
Demon 9000: H00108	H00109	WF9+258 WF12+225	8.67/246	4.21/107

Recommended: Demon Rods



UNIQUA

Hardy technology and experience have combined to produce the Uniqua, a reel of exceptional lightness and strength. The hardened Carbon disc drag system is sensitive, reliable and quickly adjustable. The reel can be easily changed from left to right hand wind and the wide spools take a great deal of backing in even the smaller sizes. The reels are designed to marry perfectly with the Uniqua rods and produce a stunning complete rod/reel combination for every angling challenge.

- Highly sensitive, easily adjustable Hardened Carbon disc drag system
- A beautifully constructed reel from Aerospace Grade aluminium with polished black anodised finish
- Designed to complement the Uniqua rod range

Product Code	Spool Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
Uniqua 2/3/4: HREUN005	HSPUN005	DT3+40M, WF4+45M	6.24/177	3.23/82
Uniqua 5/6: HREUN010	HSPUN010	DT5+65M WF6+70M	6.38/181	3.46/88
Uniqua 7/8: HREUN015	HSPUN015	DT7+100M WF8+140M	6.77/190	3.70/94
Uniqua 9/10: HREUN020	HSPUN020	DT9+160M WF10+250M	8.29/35	4.17/106
Uniqua 11/12: HREUN025	HSPUN025	DT11+125M WF12+180M	8.68/246	4.53/115

Recommended: Uniqua Rods



CASCAPEDIA

Another Hardy legend. Who doesn't love that sweeping 'S' shaped handle? But the beauty is more than skin deep. The Cascapedia's durability is proven over decades of use. The capture of thousands of fish testify to this incredible reel's performance. There's a Cascapedia for every fishing situation. The smaller sized models have a centralised click-check braking system which famously protects the lightest tippets. The eight/nine weight reels and upwards are braked by a one-way steel clutch, designed for faultless big fish handling.

- Effective braking system for great fish control
- 6061 aluminium construction for lightness and durability
- Hand-polished rim, classic looks, timeless performance

Product Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
Cascapedia MkII 2/3/4: HEC200	DT3+65	6.50/190	2.87/72
Cascapedia MkII 5/6/7: HEC210	DT6+90	8.00/228	3.37/86
Cascapedia MkII 8/9: HEC220	DT8+130	12.00/341	3.75/95
Cascapedia MkII 10/11: HEC230	DT10+185	12.75/364	3.93/100



MARQUIS REELS

Since we stopped making the Marquis we have been inundated by requests for its reinstatement. So that's what we've done. This is a new Marquis salmon reel in sizes one, two and three, built to the original design. We've made the new reels and spools interchangeable with all the originals because we know exactly what happens. Over the years, a frame gets dropped, buckled or broken. You still have the spools and the lines that you love but without a new reel frame, they're useless. Not now. You're back in business. The new reels are all manufactured from high-grade aluminium with the polished silver rim style that everyone agrees is the Marquis at its best.

- Frame and spools fully interchangeable with the originals
- Bar stock frame for strength
- Polished silver rim for classic look
- In three sizes to cover every Salmon fishing situation

Product Code	Spool Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
Marquis No1: HREM010	HSPM010	DT9F+90 WF10F+170	7.75/220	3.87/98
Marquis No2: HREM020	HSPM020	DT10F+130 WF10F+300	9.62/274	4.12/105
Marquis No3: HREM030	HSPM030	DT11F+220 WF12F+400	10.37/294	4.12/105



Without question a great symbol of Salmon fishing in the modern era. Designed by fly-fishermen, this iconic reel is indicative of the essential connection between manufacturer and customer. Robust, yet simple features are symbolic of its position as the most popular reel in Salmon fishing. Now used by three generations of fly-fishermen, 'The Marquis' is simply part of our culture!

Ian Gordon



NEW FOR
2010

BOUGLÉ MKVII REELS

Many years ago, Louis Bouglé approached Hardy with a request for a reel with good line capacity and which was light enough to balance the increasingly available, lighter rods of the time – this request resulted in the very first Hardy Bouglé reel. Now, after 106 years of variations on this design, and 106 years of our ever valued customer feedback, it was decided to revert back to the styling and feel of the 1998 introduced MkIV – this resulted in what we think is the best Bouglé reel so far – the Bouglé MkVII.

- Frame, spool and plate constructed from 6061T6 aluminium
- Ground stainless steel spindle
- Plate runs on stainless steel ball race
- Wide ranging sweet sounding adjustable click check system
- Revolving nickel-silver lineguard
- Reelback is secured by a dovetail fit and 2 stainless steel screws

Product Code	Spool Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
<i>Bouglé MkVII 3"</i> : H00057	H00052	DT2+70	3.60/105	3.00/76
<i>Bouglé MkVII 3 1/4"</i> : H00054	H00049	DT4+100	4.10/116	3.25/82
<i>Bouglé MkVII 3 1/2"</i> : H00055	H00050	DT6+70	4.70/125	3.50/89
<i>Bouglé MkVII 3 3/4"</i> : H00056	H00051	DT8+100	6.80/193	3.75/95
<i>Bouglé MkVII 4"</i> : H00058	H00053	DT10+225	9.00/256	4.00/101




PRINCESS REEL
NEW FOR
2010

LIGHTWEIGHT REELS

The four models in the range – the Flyweight, the Featherweight, the LRH Lightweight and the new for 2010 Princess Reel – have been used by discerning anglers for over half a century. Their appeal is simple. The simplicity of their looks. The simplicity of their design. Their durability and reliability. Classic reels that perform whenever you need them. And with our new sensational range of Lightweight rods to accompany them, these reels become even more attractive.

- Precision click-check protects light tippets
- Anodised, high grade bar stock aluminium construction
- Quick change spools

Product Code	Spool Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
<i>Flyweight Reel:</i> H00018	H00023	DT2+27 WF3+30	2.75/76	2.50/63
<i>Featherweight Reel:</i> H00019	H00024	DT4+40 WF5+45	3.37/97	2.87/73
<i>LRH Lightweight Reel:</i> H00020	H00025	DT5+55 WF6+60	3.62/104	3.18/80
<i>Princess Reel:</i> H00121	H00121S	DT6+65 WF7+80	3.91/111	3.50/89





PERFECT



PERFECT SALMON REELS

The 2010 Salmon Perfect takes the best features from the various designs over the years – check mechanism and dimensions from the 1921 Perfect, the 1972 reel back and a plate design which echoes that of 1912 Perfect.

- Reel diameter – 4in and 4 1/4in
- Spool width – 1 1/2in
- Revolving line guide
- 18 steel ball bearing race

PERFECT TROUT REELS

The high quality,agate line guard,the dovetailed reel fitting,the durable gunmetal grey,anodised finish with distinctive ivorine handle all make this one of history's most strikingly recognisable reels.

- All models available in left or right hand wind
- Supplied in soft, sheepskin lined leather pouch
- Three sizes for every trout fishing situation
- Engineered from top quality aluminium. Navel brass spindle on the plate
- Agate line guard, 15 ball bearings and time proven check systems for silky control



Product Code	Spool Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
<i>2 5/8" LH Perfect Reel:</i> HRP210L	HRS210	DT 2+18 WF 2+30	4.53/129	2.63/67
<i>2 7/8" LH Perfect Reel:</i> HRP220L	HRS220	DT 3+20 WF 3+40 WF 4+25	5.07/144	2.88/73
<i>3 1/8" LH Perfect Reel:</i> HRP230L	HRP230	DT 5+30 WF 5+50 WF 6+35	5.42/154	3.13/79
<i>4" LH Perfect Reel:</i> HRP240L	HRS240	DT9+180 WF10+275	11.78/334	4.00/101
<i>4 1/4" LH Perfect Reel:</i> HRP250L	HRS250	DT11+110 WF12+290	12.66/359	4.25/108
<i>2 5/8" RH Perfect Reel:</i> HRP210	HRS210	DT 2+18 WF 2+30	4.53/129	2.63/67
<i>2 7/8" RH Perfect Reel:</i> HRP220	HRS220	DT 3+20 WF 3+40 WF 4+25	5.07/144	2.88/73
<i>3 1/8" RH Perfect Reel:</i> HRP230	HRS230	DT 5+30 WF 5+50 WF 6+35	5.42/154	3.13/79
<i>4" RH Perfect Reel:</i> HRP240	HRS240	DT9+180 WF10+275	11.78/334	4.00/101
<i>4 1/4" RH Perfect Reel:</i> HRP250	HRS250	DT11+110 WF12+290	12.66/359	4.25/108

ST GEORGE



ST GEORGE HOTSPUR REELS

The St George Salmon was first introduced in 1920 and remained in production for five years. Now, 90 years later, Hardy are once again manufacturing St George Salmon reels, based on the original 1920 design, in its Alnwick factory. The Hotspur edition is to commemorate the 700th Anniversary of the Percy family.

- 6061 barstock aluminium construction
- Frame is common to both Salmon sizes therefore spools are interchangeable
- Revolving line guide
- Spool width – 1 5/8in



ST GEORGE TROUT REELS

A Hardy classic reel, improved with the addition of modern manufacturing and finishing techniques. St George trout offers both Classic form and up to date functionality in both black and spitfire options.

- Anodised 6061 barstock aluminium construction
- Agate line guard set in nickel silver casing
- Ivorine type handle
- Wide ranging click check drag mechanism

Product Code	Spool Code	Capacity (m)	Weight (oz/g)	Diameter (in/mm)
<i>St George Junior – LHW:</i> HGR030L	HGR030S	DT2+15, DT3+10 WF3+35, WF4+20	3.24/92	2.56/65
<i>St George Junior – RHW:</i> HGR030R	HGR030S	DT2+15, DT3+10 WF3+35, WF4+20	3.24/92	2.56/65
<i>St George 3" – LHW:</i> HGR040L	HGR040S	DT4+55, DT5+40 WF5+60, WF6+42	4.23/120	3.00/76
<i>St George 3" – RHW:</i> HGR040R	HGR040S	DT4+55, DT5+40 WF5+60, WF6+42	4.23/120	3.00/76
<i>St George Junior Spitfire – LHW:</i> HGR050L	HGR050S	DT2+15, DT3+10 WF3+35, WF4+20	3.24/92	2.56/65
<i>St George Junior Spitfire – RHW:</i> HGR050R	HGR050S	DT2+15, DT3+10 WF3+35, WF4+20	3.24/92	2.56/65
<i>St George 3" Spitfire – LHW:</i> HGR060L	HGR060S	DT4+55, DT5+40 WF5+60, WF6+42	4.23/120	3.00/76
<i>St George 3" Spitfire – RHW:</i> HGR060R	HGR060S	DT4+55, DT5+40 WF5+60, WF6+42	4.23/120	3.00/76
<i>4 1/4" RHW Mid Arbour:</i> HGR010R	HGR010S	DT9+150, DT10+80 WF10+220, WF9+250	11.44/324	4.25/108
<i>4 1/4" RHW Std Arbour:</i> HGR020R	HGR020S	DT11+150, DT12+75 WF11+350, WF12+320	10.02/284	4.25/108
<i>4 1/4" LHW Mid Arbour:</i> HGR010L	HGR010S	DT9+150, T10+80 WF10+220, WF9+250	11.44/292	4.25/108
<i>4 1/4" LHW Std Arbour:</i> HGR020L	HGR020S	DT11+150, DT12+75 WF11+350, WF12+320	10.02/284	4.25/108



ST GEORGE HOTSPUR



ST GEORGE TROUT



ST GEORGE TROUT SPITFIRE

HARDY FLY LINES

HARDY FLY LINES ARE AVAILABLE IN THREE COMPREHENSIVE RANGES, COVERING OPTIONS FROM #2 THROUGH TO #12. DESIGNED AND DEVELOPED IN THE UK, ALL HARDY LINES ARE MANUFACTURED IN A STATE-OF-THE-ART PRODUCTION FACILITY IN THE UNITED STATES OF AMERICA TO HARDY'S OWN TAPER DESIGNS AND SURFACE FORMULAS.

LINE CARE TIPS

- Lines should be cleaned frequently to remove particulate build up and prevent premature wear.
- Applying a proprietary line cleaner can help increase line life.
- Lines should be lightly stretched between the hands after storage on the reel – pulling too hard can damage the coating to core bond and should be avoided.
- Avoid winding the leader onto the reel – this can cut the lines surface and aid water ingress into the core.

MACH RANGE

The Mach fly line range is our most advanced series of fly lines, featuring our Liquid Slick Coating for effortless line shoot, complex compound tapers for improved distance, accuracy, control and turnover. These lines are offered in a range of Trout, Salmon and saltwater specialist models.



Some of our favourites include the Mach 55 Spey line, an absolute classic high performance design for all two hand rod techniques, the 55ft head is the perfect compromise between distance and control when wading deep.

The Mach Trout is another clear favourite bridging the gap between out and out distance and fish fooling delicate presentation, this is an absolute winner.

All Mach lines (apart from the #6 sinking versions which are supplied with braided loops) are supplied with a factory welded seamless loop connection.

MARKSMAN RANGE

Marksman lines cover a full range of tactical options including both intermediate and wet2 sinking tips, slow and fast full intermediate's and a range of carefully calibrated sinking lines. The Marksman range also features a longer average head length to help with mid to long range presentations and line control.

The Marksman clear sink tip line is one of our favourites for both loch style drifting and sweeping big rivers with wet flies early in the season, the sinking tip section helping to prevent flies skating and improves your take to hook up ratio.

All Marksman lines are supplied with two high quality braided loops.

PREMIUM RANGE

Our Premium range offers a practical taper design resulting in high casting performance with a specially formulated surface coating that improves durability; Premium lines are available in both WF and DT floating models as well as intermediate and medium sinking options.

The WF float is without doubt one of our most popular models based on the classic 'ice blue dry fly floating line'. The range also includes a subtle 'willow olive' double taper perfect for light river presentations.

All premium lines are supplied with a high quality braided loop.

MACH TROUT FLY LINE


The Mach series Trout lines feature a heavily-engineered compound taper that offers distance, control and presentation from both short to maximum ranges. The lines are built on a low-memory supple core with a durable, liquid slick, PVC impregnated coating. They also feature welded tip loops. And, of course, they are AFTM size specific, to meet the needs of the most demanding single handed anglers.

Fourteen lines in the range cover the majority of situations any trout angler will meet during the course of a typical season. The wide variety of floating, intermediate and sinking lines make these the obvious choice for the serious angler.



Mach Trout Weight Forward Floating (Ice Blue/Sunrise)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly 1 (in)	Belly 2 (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMF05	WF-5	6	96	180	144	132	708	-	46	105
HLMF06	WF-6	6	108	180	144	144	684	-	48	105
HLMF07	WF-7	6	120	180	144	156	660	-	50	105
HLMF08	WF-8	6	132	180	144	168	636	-	52	105




Mach Trout Weight Forward Clear Intermediate (Clear)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly 1 (in)	Belly 2 (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMHI05	WF-5	6	96	180	144	132	708	1.25-1.75	46	105
HLMHI06	WF-6	6	108	180	144	144	684	1.25-1.75	48	105
HLMHI07	WF-7	6	120	180	144	156	660	1.25-1.75	50	105
HLMHI08	WF-8	6	132	180	144	168	636	1.25-1.75	52	105




Mach Trout Weight Forward Sink 3 (Dark Brown)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper 1 (in)	Rear Taper 2 (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMHS06	WF-6	6	60	384	48	84	684	3	48	105
HLMHS07	WF-7	6	66	390	54	90	660	3	50	105
HLMHS08	WF-8	6	72	396	60	96	636	3	52	105



Mach Trout Weight Forward Sink 6 (Black)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper 1 (in)	Rear Taper 2 (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMHS16	WF-6	6	60	384	48	84	684	6	48	105
HLMHS17	WF-7	6	66	390	54	90	660	6	50	105
HLMHS18	WF-8	6	72	396	60	96	636	6	52	105



HARDY FLY FISHING


MACH SPEY 55 FLY LINE

Mach 55 Spey lines are designed by salmon anglers to excel in real life fishing situations, not just on the casting platform. The line benefits from our new 'Liquid Slick' lubrication system that improves distance, control and durability. The 55ft head makes it ideal for all but the most extreme distance situations.



Mach 55 Fly Line Spey Floating (Ice Blue/Sunrise)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper 1 (in)	Running Line (in)	Sink Rate (IPS)	Total Head (ft)	Length (ft)
HLMSP08	WF-8-F	12	408	168	72	600	-	55	105
HLMSP09	WF-9-F	12	408	168	72	600	-	55	105
HLMSP10	WF-10-F	12	408	168	72	600	-	55	105
HLMSP11	WF-11-F	12	408	168	72	600	-	55	105



Mach 55 Fly Line Spey Clear Tip (Clear/Ice Blue)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper 1 (in)	Running Line (in)	Sink Rate (IPS)	Total Head (ft)	Length (ft)
HLMSP16	WF-8	12	408	168	72	600	1.25-1.75 (Tip)	55	105
HLMSP17	WF-9	12	408	168	72	600	1.25-1.75 (Tip)	55	105
HLMSP18	WF-10	12	408	168	72	600	1.25-1.75 (Tip)	55	105
HLMSP19	WF-11	12	408	168	72	600	1.25-1.75 (Tip)	55	105




Mach 55 Fly Line Spey Wet 2 Tip (Dark Green/Ice Blue)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper 1 (in)	Running Line (in)	Sink Rate (IPS)	Total Head (ft)	Length (ft)
HLMSP25	WF-8	12	408	168	72	600	2.5-2.75 (Tip)	55	105
HLMSP26	WF-9	12	408	168	72	600	2.5-2.75 (Tip)	55	105
HLMSP27	WF-10	12	408	168	72	600	2.5-2.75 (Tip)	55	105
HLMSP28	WF-11	12	408	168	72	600	2.5-2.75 (Tip)	55	105



Mach 55 Fly Line Spey Clear Intermediate (Clear/Sunrise)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMSP34	WF-8	12	408	168	72	600	1.25-1.75	55	105
HLMSP35	WF-9	12	408	168	72	600	1.25-1.75	55	105
HLMSP36	WF-10	12	408	168	72	600	1.25-1.75	55	105
HLMSP37	WF-11	12	408	168	72	600	1.25-1.75	55	105





Mach 55 Fly Line Spey Wet 2 Sinking (Dark Green/Sunrise)

Front Product Code	AFTM	Tip (in)	Running Taper (in)	Sink Belly (in)	Total Taper (in)	Line (in)	Rate (IPS)	Head (ft)	Length (ft)
HLMSP43	WF-8	12	408	168	72	600	2.5-2.75	55	105
HLMSP44	WF-9	12	408	168	72	600	2.5-2.75	55	105
HLMSP45	WF-10	12	408	168	72	600	2.5-2.75	55	105
HLMSP46	WF-11	12	408	168	72	600	2.5-2.75	55	105



Mach 55 Fly Line Spey Wet 5 Sinking (Grey/Sunrise)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMSP51	WF-8	12	408	168	72	600	4.25-5.75	55	105
HLMSP52	WF-9	12	408	168	72	600	4.25-5.75	55	105
HLMSP53	WF-10	12	408	168	72	600	4.25-5.75	55	105
HLMSP54	WF-11	12	408	168	72	600	4.25-5.75	55	105



HARDY FLY FISHING

MACH SPEY 65 FLY LINE

As we've already stressed, the market is awash with long-belly Spey lines that excel on the casting platform but fall short when used in real life fishing situations. The 65ft head design of the Mach 65 bridges the gap between extreme distance and fishing practicality. You will find the 65 is long enough to generate a large 'D' loop during the longest of Spey casts yet short enough to control when you are deepwading. The 65, in short, is the perfect solution for the all round, big river angler. Big rivers are the natural home for the 65. The 'liquid slick' lubrication system improves line shoot, repels dirt and lets you fish with control and accuracy at big distances with big flies.



Mach 65 Fly Line Spey Floating (Ice Blue/Hot Orange)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper 1 (in)	Running Line (in)	Sink Rate (IPS)	Total Head (ft)	Length (ft)
HLMSP60	WF-8-F	12	480	216	72	660	-	65	120
HLMSP61	WF-9-F	12	480	216	72	660	-	65	120
HLMSP62	WF-10-F	12	480	216	72	660	-	65	120
HLMSP63	WF-11-F	12	480	216	72	660	-	65	120



Mach 65 Fly Line Spey Clear Tip (Clear/Ice Blue)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper 1 (in)	Running Line (in)	Sink Rate (IPS)	Total Head (ft)	Length (ft)
HLMSP68	WF-8	12	480	216	72	660	1.25-1.75 (Tip)	65	120
HLMSP69	WF-9	12	480	216	72	660	1.25-1.75 (Tip)	65	120
HLMSP70	WF-10	12	480	216	72	660	1.25-1.75 (Tip)	65	120
HLMSP71	WF-11	12	480	216	72	660	1.25-1.75 (Tip)	65	120




Mach 65 Fly Line Spey Wet 2 Tip (Dark Green/Ice Blue)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper 1 (in)	Running Line (in)	Sink Rate (IPS)	Total Head (ft)	Length (ft)
HLMSP76	WF-8	12	480	216	72	660	2.5-2.75 (Tip)	65	120
HLMSP77	WF-9	12	480	216	72	660	2.5-2.75 (Tip)	65	120
HLMSP78	WF-10	12	480	216	72	660	2.5-2.75 (Tip)	65	120
HLMSP79	WF-11	12	480	216	72	660	2.5-2.75 (Tip)	65	120




Mach 65 Fly Line Spey Clear Intermediate (Clear/Hot Orange)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMSP84	WF-8	12	480	216	72	660	1.25-1.75	65	120
HLMSP85	WF-9	12	480	216	72	660	1.25-1.75	65	120
HLMSP86	WF-10	12	480	216	72	660	1.25-1.75	65	120
HLMSP87	WF-11	12	480	216	72	660	1.25-1.75	65	120




Mach 65 Fly Line Spey Wet 2 Sinking (Dark Green/Hot Orange)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMSP90	WF-8	12	480	216	72	660	2.5-2.75	65	120
HLMSP91	WF-9	12	480	216	72	660	2.5-2.75	65	120
HLMSP92	WF-10	12	480	216	72	660	2.5-2.75	65	120
HLMSP93	WF-11	12	480	216	72	660	2.5-2.75	65	120



Mach 65 Fly Line Spey Wet 5 Sinking (Grey/Hot Orange)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMSP96	WF-8	12	480	216	72	660	4.25-5.75	65	120
HLMSP97	WF-9	12	480	216	72	660	4.25-5.75	65	120
HLMSP98	WF-10	12	480	216	72	660	4.25-5.75	65	120
HLMSP99	WF-11	12	480	216	72	660	4.25-5.75	65	120



HARDY FLY FISHING

MACH SALTWATER FLY LINE

The advanced design of these lines helps throw heavy and often bulky flies into stiff offshore winds and makes accurate, yet subtle presentation to spooky flat species possible. The welded, extra-strong tip loop makes for rapid leader changes. The stiff, durable, saltwater core lets you maintain control in the hot, humid conditions of a tropical environment.




These Mach lines explode out of the rod! While testing the new high tech generation of Hardy salt water fly rods I found these lines to be a perfect, incomparable match!

Andy Mill


Mach Saltwater Weight Forward Floating (Aqua)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly 1 (in)	Belly 2 (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMHSF06	WF6	6	78	207	171	48	756	-	42	105
HLMHSF07	WF7	6	78	207	171	48	756	-	42	105
HLMHSF08	WF8	6	78	207	171	48	756	-	42	105
HLMHSF09	WF9	6	78	207	171	48	756	-	42	105
HLMHSF10	WF10	6	78	207	171	48	756	-	42	105
HLMHSF12	WF12	8	78	207	171	48	780	-	38	107



Mach Saltwater Clear Sinking Tip (Clear/Aqua)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly 1 (in)	Belly 2 (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMHST08	WF 8	6	60	360	-	84	756	1.25-1.75 (Tip)	42	105
HLMHST09	WF 9	6	66	348	-	90	756	1.25-1.75 (Tip)	42	105
HLMHST10	WF 10	6	72	288	-	96	804	1.25-1.75 (Tip)	38	105
HLMHST12	WF 12	6	84	264	-	108	804	1.25-1.75 (Tip)	38	105



MARKSMAN FLY LINE


The Marksman range of fly lines sets the standard. Twenty-eight models in the range give you a choice from floaters through sink tips and intermediates right down to ultra-fast sinkers. They have been designed specifically to meet the demands of modern angling on both still and running waters. They come supplied with high quality braided loops and they are totally AFTM compliant. We love the soft, subtle, braided core of the lines that means line memory is a thing of the past. We also recommend the mono core clear sink tips and intermediates.

- Two braided loops as standard
- AFTM size specific taper design
- AFTM compliant
- 96ft overall length
- Mono core clear sink tips and intermediates
- Large range of sink tip and full sinking options



Marksman Fly Line Weight Forward Floating (Buckskin)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMK04	WF-4-F	6	72	324	60	696	-	38	96
HLMK05	WF-5-F	6	78	336	66	672	-	40	96
HLMK06	WF-6-F	6	84	348	72	648	-	42	96
HLMK07	WF-7-F	6	90	360	78	624	-	44	96
HLMK08	WF-8-F	6	96	372	84	600	-	46	96



Marksman Fly Line Weight Forward Clear Sinking Tip (Clear/Buckskin)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMK10	WF-5-F/Ci	6	78	336	66	672	1.75 Tip/3ft	40	96
HLMK11	WF-6-F/Ci	6	84	348	72	648	1.75 Tip/3ft	42	96
HLMK12	WF-7-F/Ci	6	90	360	78	624	1.75 Tip/3ft	44	96
HLMK13	WF-8-F/Ci	6	96	372	84	600	1.75 Tip/3ft	46	96



Marksman Fly Line Weight Forward Wet 2 Sinking Tip (Dark Green/Buckskin)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMK18	WF-6-F/S	6	84	348	72	48	2.25 Tip/6ft	42	96
HLMK19	WF-7-F/S	6	90	360	78	624	2.25 Tip/6ft	44	96
HLMK20	WF-8-F/S	6	96	372	84	600	2.25 Tip/6ft	46	96



HARDY FLY FISHING

MARKSMAN FLY LINE *(continued)*

Marksman Fly Lines Weight Forward Slow Intermediate (Chestnut)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMK25	WF-6	6	84	348	72	648	0.75	42	96
HLMK26	WF-7	6	90	360	78	624	0.75	44	96
HLMK27	WF-8	6	96	372	84	600	0.75	46	96



Marksman Fly Lines Weight Forward Clear Intermediate (Clear)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMK33	WF-5	6	78	336	66	672	1.25-1.75	40	96
HLMK34	WF-6	6	84	348	72	648	1.25-1.75	42	96
HLMK35	WF-7	6	90	360	78	624	1.25-1.75	44	96
HLMK36	WF-8	6	96	372	84	600	1.25-1.75	46	96



Marksman Fly Lines Weight Forward Wet 2 Sink (Dark Green)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMK41	WF-6	6	84	348	72	648	2.5-2.75	42	96
HLMK42	WF-7	6	90	360	78	624	2.5-2.75	44	96
HLMK43	WF-8	6	96	372	84	600	2.5-2.75	46	96



Marksman Fly Lines Weight Forward Wet 4 Sink (Grey)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMK48	WF-6	6	84	348	72	648	3.75-4.25	42	96
HLMK49	WF-7	6	90	360	78	624	3.75-4.25	44	96
HLMK50	WF-8	6	96	372	84	600	3.75-4.25	46	96



Marksman Fly Lines Weight Forward Wet 6 Sink (Black)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLMK55	WF-6	6	84	348	72	648	6	42	96
HLMK56	WF-7	6	90	360	78	624	6	44	96
HLMK57	WF-8	6	96	372	84	600	6	46	96



HARDY FLY FISHING


PREMIUM FLY LINE

This Hardy entry level line totally defies that description. Entry level it may be but it's still a magnificent performer. We offer a tight range. The two floaters come in both weight forward and double taper options. The intermediate and medium sinkers are built upon a weight forward profile. This straightforward, no nonsense range will meet virtually all fly fishing challenges. These lines are durable, long casting and offer easy control. They have next to no memory and give you the near perfect presentation you need.




Hardy Premium Fly Line Double Taper Floating (Olive)

Product Code	AFTM	Tip (in)	Taper (in)	Belly (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLPF02	DT-2-F	6	36	1008	-	90	91
HLPF03	DT-3-F	6	42	996	-	90	91
HLPF04	DT-4-F	6	48	984	-	90	91
HLPF05	DT-5-F	6	54	972	-	90	91
HLPF06	DT-6-F	6	60	960	-	90	91
HLPF07	DT-7-F	6	66	948	-	90	91
HLPF08	DT-8-F	6	72	936	-	90	91



Premium Fly Line Weight Forward Floating (Ice Blue)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLPF13	WF-2-F	6	36	318	30	696	-	32	90
HLPF14	WF-3-F	6	42	309	33	696	-	32	90
HLPF15	WF-4-F	6	48	300	36	696	-	32	90
HLPF16	WF-5-F	6	54	339	39	648	-	36	90
HLPF17	WF-6-F	6	60	330	42	648	-	36	90
HLPF18	WF-7-F	6	66	321	45	648	-	36	90
HLPF19	WF-8-F	6	72	336	48	624	-	38	90



Premium Fly Line Weight Forward Intermediate (Green)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLP105	WF-5	6	54	339	39	648	1.25-1.75	36	90
HLP106	WF-6	6	60	330	42	648	1.25-1.75	36	90
HLP107	WF-7	6	66	321	45	648	1.25-1.75	36	90
HLP108	WF-8	6	72	336	48	624	1.25-1.75	38	90

Premium Fly Line Medium Sink (Dark Green)

Product Code	AFTM	Tip (in)	Front Taper (in)	Belly (in)	Rear Taper (in)	Running Line (in)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
HLPMS06	WF-6	6	60	330	42	648	2.5-2.75	36	90
HLPMS07	WF-7	6	66	321	45	648	2.5-2.75	36	90
HLPMS08	WF-8	6	72	336	48	624	2.5-2.75	38	90

BACKING

Our Hardy Backing has been designed to meet the most stringent technical specifications combining low stretch, fine diameter and excellent strength.

Product Code	Colour	Length (yds/m)	Breaking Strain (lb/kg)
<i>Braided Backing:</i>			
HLB100	Orange	109/100	20/9.09
HLB105	Orange	109/100	30/13.63
HLB115	Orange	2734/2500	30/13.63
<i>Gel Spun Backing:</i>			
HLB160	Green	328/300	20/9.09
HLB165	Green	328/300	30/13.63



HARDY FLY FISHING

LEADERS & TIPPETS

It's almost impossible to overstate the importance of good leaders and tippet material. Absolutely everything else in an angler's approach can be as near perfect as it is possible to make it, but if that tell-tale line attached to the fly lets him down for any reason, the game is lost. It's as simple as that.



KNOTLESS, TAPERED LEADERS

- Manufactured using only the very finest copolymer material.
- The taper is designed to be stiff in the butt with the most delicate of forward sections.
- Knotless Tapered Leaders roll over much more easily and present your flies so much more delicately than home-made leaders.
- Perfect for wild fish in clear waters.
- The absence of knots is of great benefit, especially when fishing the surface or top zones.
- Available in 9ft and 12ft lengths.

Product Code	Rating	Diameter (in/mm)	Length (ft/m)	Breaking Strain (lb/kg)
HDT005	6/5	0.015/0.38	12/3.6	16/7.3
HDT010	7/5	0.014/0.35	12/3.6	15/6.8
HDT015	8/5	0.013/0.33	12/3.6	14/6.4
HDT020	9/5	0.012/0.30	12/3.6	12/5.4
HDT025	0X	0.011/0.28	12/3.6	10/4.5
HDT030	1X	0.010/0.25	12/3.6	9/4.1
HDT035	2X	0.009/0.23	12/3.6	7/3.2
HDT040	3X	0.008/0.20	12/3.6	6/2.7
HDT045	4X	0.007/0.18	12/3.6	5/2.3
HDT050	5X	0.006/0.15	12/3.6	4/1.8
HDT055	6X	0.005/0.13	12/3.6	3/1.4
HDT070	0X	0.011/0.28	9/2.7	10/4.5
HDT075	1X	0.010/0.25	9/2.7	9/4.1
HDT080	2X	0.009/0.23	9/2.7	7/3.2
HDT085	3X	0.008/0.20	9/2.7	6/2.7
HDT090	4X	0.007/0.18	9/2.7	5/2.3
HDT095	5X	0.006/0.15	9/2.7	4/1.8
HDT100	6X	0.005/0.13	9/2.7	3/1.4
HDT105	7X	0.004/0.10	9/2.7	2/0.9

FLUOROCARBON TIPPET

Hardy has combed the world to find the finest fluorocarbon available. The material is perfect for nymph fishing in crystal water for the wildest of fish because it is virtually invisible due to its refractive index. As it is denser than water, our fluorocarbon tippet material will sink perfectly, giving you the ultimate in presentation. Fluorocarbon is very abrasion-resistant, perfect for the big fish angler in difficult situations. Available in 25m or 30m spools based on breaking strain.

Product Code	Rating	Diameter (in/mm)	Length (ft/m)	Breaking Strain (lb/kg)
HDT300	-	0.016/0.421	82/25	18.3/8.3
HDT305	-	0.014/0.362	82/25	21.6/7.1
HDT310	-	0.013/0.330	82/25	13.7/6.2
HDT350	1X	0.012/0.304	98/30	11/5
HDT355	2X	0.011/0.277	98/30	7.5/3.4
HDT360	3X	0.008/0.221	98/30	5.9/2.7
HDT365	4X	0.007/0.179	98/30	4.6/2.1
HDT370	5X	0.006/0.152	98/30	3.7/1.6
HDT375	6X	0.005/0.135	98/30	2.6/1.2



CO-POLYMER TIPPET

Our tippet material is of the same high-grade copolymer as our knotless leaders. Tippet spools are individually colour coded so you instantly recognise the diameter of the tippet you are seeking. The spools are all designed to slot together into one handy, secure package. No more fumbling in tackle bags. Valuable time is saved during the course of a competition or at the critical moment of the rise.

Product Code	Rating	Diameter (in/mm)	Length (ft/m)	Breaking Strain (lb/kg)
HDT190	-	0.016/0.421	98/30	20/9.1
HDT195	-	0.012/0.33	98/30	15/6.8
HDT200	0X	0.010/0.26	164/50	10/4.5
HDT201	1X	0.009/0.23	164/50	9/4.1
HDT202	2X	0.008/0.20	164/50	7/3.2
HDT203	3X	0.007/0.18	164/50	6/2.7
HDT204	4X	0.006/0.16	164/50	5/2.3
HDT205	5X	0.005/0.14	164/50	4/1.8
HDT206	6X	0.004/0.12	164/50	3/1.4



HARDY FLY FISHING



POLYTIPS

A ready looped, interchangeable sink tip system, that provides flawless turnover and presentation with a wide range of tippet and fly combinations.

Product Code	Length (ft)	Sink Rate (IPS)
<i>Salmon:</i>		
HDP01	10.5	Intermediate (1.75)
HDP02	10.5	Slow Sink (2.5)
HDP03	10.5	Fast Sink (3.5)
HDP04	10.5	Super Fast Sink (5)
<i>Trout:</i>		
HDP011	10.5	Intermediate (1.75)
HDP012	10.5	Slow Sink (2.5)
HDP013	10.5	Fast Sink (3.5)
HDP014	10.5	Super Fast Sink (5)



BRAIDED LOOPS

These high quality braided loops provide a neat and strong method for the attachment of your leader. They are suitable for use with either floating or sinking lines. These loops come complete with fitting instructions.

Product Code	Description	To Fit Line Size
HDB010	Braided Loops Trout	2-8
HDB020	Braided Loops Salmon	7-12



TOOLS & ACCESSORIES

MARKSMAN CLASSIC NETS

Lightweight, hand crafted river nets by Hardy. A range of high quality wooden nets with the finest amboyna burl wood spacers and high quality – fish friendly knotless mesh.

- Three sizes available
- Selected wood with amboyna burl spacer
- Knotless – fish friendly mesh
- Alloy 'castle and fly' logo

Product Code	Size
HMNM010	M
HMNL050	L
H00099	XL



HARDY PRIEST

Made with 6061 anodised aluminium shaft and a brass head with satin chrome finish the Hardy Priest features a full duplon grip.

Product Code	Description	Weight (g)
HTP010	Priest	110



HARDY NEOPRENE REEL POUCHES

4mm neoprene – the ultimate protection for your reel. Three sizes available.

Product Code	Size
HMNM010	M
HMNL050	L
H00099	XL



HARDY FLY FISHING

NEW FOR 2010



LOCKABLE 5" FORCEPS

- 420c grade stainless steel
- Combination jaws
- Hook-eye cleaning point
- Satin finish handles
- Lockable

Product Code	Description	Weight(g/oz)	Size (in)
HFF	Hardy Lockable 5" Forceps	41/1.4	5

NEW FOR 2010



ARCHED SCISSORS

- 420c grade stainless steel
- Curved profile improves function
- Ultra sharp stainless steel blade
- Ideal for fly-tying
- Satin finish handles

Product Code	Description	Weight(g/oz)	Size (in)
HASS	Hardy Arched Scissors	28/1	4

NEW FOR 2010



GRIP 'N' SNIP

- 420c grade stainless steel
- Combination scissor pliers
- Hook-eye cleaning point
- Lockable
- Satin finish handles

Product Code	Description	Weight(g/oz)	Size (in)
HGNS	Hardy Grip 'n' Snip	28/1	4

LINE SNIPS

High quality, heat-treated stainless steel snips hand-finished with a razor sharp edge that can be resharpened, and enclosed eye pin for clearing hook eyes.

COMBO TOOLS

A high quality, heat-treated stainless steel tool that combines a knot tyer tip, line snips, hook eye cleaner and hook sharpener in one sturdy package.

Product Code	Description
HAS206	Line Snips
HAS207	Combo Tool



SHORT SCISSOR PLIERS

Stainless steel Scissor Pliers with a short grip and serrated blades.

LONG SCISSOR PLIERS

Made of stainless steel, these Long Scissor Pliers are particularly useful for debarbing and removing hooks.

Product Code	Description
HAS205	Short Scissor Pliers
HAS200	Long Scissor Pliers



STAINLESS RETRACTOR

- Strong steel case
- 500mm coated wire cord
- Pin on attachment
- Rubber retraction cushion

Product Code	Description
HSR01	Stainless Retractor



SINKANT & REEL OIL


Our sinkant lets your leader slip through the water's surface tension, allowing nymphs and wet flies to sink quickly and easily to the right depth. To be sure of flawless performance only use Hardy reel oil to lubricate and protect your Hardy reel.

Product Code	Description
HAS237	Sinkant
HAS240	Reel Oil



HARDY LUGGAGE

GREAT FEATURES, RUGGED MATERIALS, UNPARALLELED CRAFTSMANSHIP AND LIFETIME DURABILITY; ALL THESE ARE QUALITIES WHICH SUM UP THE HARDY CLASSIC BAGS AND EXPLAIN WHAT HAS MADE THEM WORLD FAVOURITES FOR OVER HALF A CENTURY. THE CANVAS USED TO CONSTRUCT THE HARDY BAG HAS AN INTEGRAL PVC LINING BETWEEN THE LAYERS TO ENSURE A WATERPROOF SEAL. THE HIGHEST QUALITY COTTON TWILL IS USED TO ENSURE DURABILITY AND STRENGTH.



ALN BAG
A Lightweight bag named after the River Aln where generations of the Hardy family have fished. Detachable waterproof lining and two outside pockets.

Product Code	Description	Dimensions (in/cm)
HAF395	Aln Bag	14x11/36x28
HAF395L	Aln Bag Lining	-



BROOK BAG
A small bag with one inside partition. Just the right size to carry when stalking brook trout.

Product Code	Description	Dimensions (in/cm)
HAF380	Brook Bag	12x11/30x28



TEST BAG
This bag will carry all you need for fishing on chalkstreams and more besides. It's a marvellous all-purpose bag with two large pockets and detachable waterproof lining.

Product Code	Description	Dimensions (in/cm)
HAF375	Test Bag	15x12/38x30
HAF375L	Test Bag Lining	-



CARRYALL BAG
Our biggest bag, ideal for travellers and anglers alike, featuring a large back pocket and two front pockets.

Product Code	Description	Dimensions (in/cm)
HAF385	Carryall Bag	18x15/46x38



COMPACT BAG
A Practical bag with plenty of separated storage space in two internal and two external pockets.

Product Code	Description	Dimensions (in/cm)
HAF390	Compact Bag	17x11/43x28



TROUTFISHER BAG
Traditional, strong troutfisher's bag with netting on the front. Inside, it has one main compartment and two pockets.

Product Code	Description	Dimensions (in/cm)
HAF370	Troutfisher's Bag	15x14/38x36



LEATHER ACCESSORIES

A range of beautiful leather accessories made from the highest quality leather.

Product Code	Dimensions (in/cm)
H00095	Fly Dryer
H00097	Powder Holder
H00096	Gink Holder
H00098	Single Fly Patch
H00094	Double Fly Patch



FLY WALLETS

Handsome, sheepskin lined leather wallet, or leather and canvas wallet with zip fastener. Perfect for storing streamers, wet flies and lures.

Product Code	Description	Dimensions (in/cm)
HAS300	Leather Fly Wallet	6x4/15.2x10.1
HAS310	Canvas & Leather Fly Wallet	7.25x4.25/18.2x10.8

HARDY SPINNING & LURE

HARDY SPIN AND LURE RODS ARE VERY SPECIAL. THEY HAVE THE PEDIGREE OF BEING DESIGNED AND DEVELOPED IN ALNWICK, WHICH FOR MANY ANGLERS IS THE SPIRITUAL HOME OF GAME FISHING. HARDY RODS ARE BUILT USING THE FINEST MODERN COMPONENTS, EXPERTLY FINE TUNED TO PROVIDE UNRIVALLED PERFORMANCE AND UNBRIDLED VERSATILITY. THERE'S A ROD TO MATCH EVERY REQUIRED LENGTH, RATING AND TYPE OF VENUE, INCLUDING THE MARKSMAN SMUGGLER FOR THE DISCERNING TRAVELLING ANGLER. HARDY CONTINUES TO SET THE BENCHMARK IN THE WORLD OF GAME FISHING.





MARKSMAN SPIN

Marksman Spin rods provide a sensitive, tactile approach to spinning and lure fishing with actions designed to encourage accurate casting and a positive feel on the retrieve. While there's enough power to subdue a hard fighting Springer in high water, the response of the rod to the lure is immediate and the action of the spinner, spoon, plug or jig is vividly transmitted. All this enhances your expectations, makes you fish more creatively and ultimately leads to a much higher level of success.

- The addition of the Smuggler opens up the Marksman to the travelling angler
- Aluminium helical reel seat for lightness and security
- Finest-grade Portuguese cork handles
- Fuji SIC rings
- Short handle for manoeuvrability
- A responsive middle and tip section
- Supplied in Cordura tube

Product Code	Length (ft/m)	Rating (g)	Pieces	Handle	Weight (oz/g)
<i>Marksman Smuggler:</i>					
HRMS060	10/3.05	15-60	5	TPSS	8.21/233
<i>Marksman Spin:</i>					
HRMS010	8'6"/2.55	7-20	3	TPSS	6.44/197
HRMS020	9'6"/2.90	10-25	3	TPSS	7.93/225
HRMS030	10'/3.05	10-30	3	TPSS	7.75/220
HRMS040	10'/3.05	18-50	3	TPSS	8.50/241
<i>Marksman Bait:</i>					
HRMS050	11'/3.35	15-40	3	TPSS	9.50/269



DEMON SPIN

The magnificent rods in the Demon range are capable of coping with everything from a huge flood and big fish, right down to a summer trickle-combined with flicking out the smallest spinner. Demon spin rods are an example of great Hardy design, featuring fine-tuned balance between weight, action and power. The result is very advanced spinning rods with great looks, durability and high reserves of power. This gives you a rod with a progressive yet powerful taper, balancing the demand for distance casting with accurate control and feel.

- Designed using the Hardy state-of-the-art Test Rig
- Down-locking custom alloy reel seat with lightweight carbon insert
- High quality Fuji rings
- Two-piece high grade cork handle
- Cordura rod tube and cloth bag

Product Code	Length (ft/m)	Rating (g)	Pieces	Handle	Weight (oz/g)
<i>Demon Spin:</i>					
HRDS05	7'/2.13	5-12	3	TPSS	5.29/150
HRDS10	8'/2.43	5-15	3	TPSS	6.18/175
HRDS15	9'/2.74	12-28	3	TPSS	7.42/210
HRDS20	9'/2.74	40-100	4	TPSS	8.57/243
HRDS25	10'/3.04	15-32	3	TPSS	7.97/226
HRDS30	10'/3.04	20-45	3	TPSS	8.50/241
<i>Demon Bait:</i>					
HRDS35	11'6"/3.50	5-18	3	TPSS	8.41/239

